

PRICE LIST JUNE 2017 CONTACTS

1 East

DAVID DAY
Tel Mobile: 07860 335228
david.day@maschio.co.uk

2 West

JOHN HULLAND
Tel Mobile: 07971 484414
john.hulland@maschio.co.uk

3 North, West, Central and Eastern Scotland

GORDON HICKIE
Tel Mobile: 07860 729659
andy.mair@maschio.co.uk

4 North, West, Central and Eastern Scotland

JAMIE BRETT
Tel Mobile: 07535 266365
jamie.brett@opico.co.uk



YOUR LOCAL MASCHIO GASPARDO DEALER

Maschio distributed by
OPICO Ltd,
Cherry Holt Road, Bourne
Lincolnshire PE10 9LA
Telephone: 01778 421111
Fax: 01778 425080
E-mail: ask@opico.co.uk
Website: www.maschio.co.uk

MASCHIO

GASPARDO

distributed by 

Plough Price List



JUNE 2017



OPICO Ltd. Tel: 01778 421111 Email: ask@opico.co.uk

Web: www.maschio.co.uk



distributed by

MACHINERY SALES

01778 391680

ROBIN IMMINK

robin.immink@opico.co.uk

STEVE HARRISON

steven.harrison@opico.co.uk

HUGH HUNTER

hugh.hunter@opico.co.uk

RACHEL BATEMAN

rachel.bateman@opico.co.uk

SERVICE AND PRODUCT SUPPORT

01778 391682

ANGUS STEVEN

angus.steven@opico.co.uk

CHRIS CLARK

chris.clark@opico.co.uk

CHRIS CARTER

chris.carter@opico.co.uk

DAVID MEIN

david.mein@opico.co.uk

STEVE HARRIS

steve.harris@opico.co.uk

PARTS SALES

01778 391679

MICHAEL SCOTT

michael.scott@opico.co.uk

MICK NICHOLLS

mick.nicholls@opico.co.uk

STEWART WHITWORTH

stewart.whitworth@opico.co.uk

UNICO L - UP TO 300 HP

NEW

UNICO L SHEARBOLT

Model Code	Model Description	Retail
11AA404L013	UNICO L 4 furrow	£19,211
	UNICO L 4 + 1 (5 furrow)	£22,572
11AA405L013	UNICO L 5 furrow	£22,205
	UNICO L 5 + 1 (6 furrow)	£25,566
11AA4A4L013	UNICO L VARIO 4 furrow	£22,149
	UNICO L VARIO 4 + 1 (5 furrow)	£25,673
11AA4A5L013	UNICO L VARIO 5 furrow	£25,241
	UNICO L VARIO 5 + 1 (6 furrow)	£28,765

UNICO L NSH AUTO RESET

11AA4K4L013	UNICO L NSH 4 furrow	£22,678
	UNICO L NSH 4 + 1 (5 furrow)	£26,153
11AA4K5L013	UNICO L NSH 5 furrow	£25,602
	UNICO L NSH 5 + 1 (6 furrow)	£29,077
11AA4T4L013	UNICO L NSH VARIO 4 furrow	£24,016
	UNICO L NSH VARIO 4 + 1 (5 furrow)	£27,722
11AA4T5L013	UNICO L NSH VARIO 5 furrow	£27,407
	UNICO L NSH VARIO 5 + 1 (6 furrow)	£31,112

ADDITIONAL FURROW

* Maximum of 1 additional furrow per plough

	ADDITIONAL FURROW UNICO L	£3,870
	ADDITIONAL FURROW UNICO L VARIO	£4,120
	ADDITIONAL FURROW UNICO L NSH	£4,078
	ADDITIONAL FURROW UNICO L NSH VARIO	£4,314

OPTIONAL EXTRAS

Model Code	Model Description	Retail
11A99651080	Auto memory (standard from 4 furrow)	£1,114
11A99500055	Oscillating headstock	£368
11A99628010	Underbeam clearance 87cm (pair in lieu)	£111
11A99624010	Trashboards (pair)	£111
11A99500040	Mouldboard extensions (pair)	£44
11A99625010	High landside (pair)	£67
11A99602130	Maize skimmer - shearbolt (pair in lieu)	£75
11A99602150	Maize skimmer - auto reset (pair in lieu)	£75
11A99603080	High capacity skimmers - shearbolt (pair in lieu)	£75
11A99603100	High capacity skimmers - auto reset (pair in lieu)	£75
11A99636310	Mouldboard MP4QD (pair in lieu)	NO CHARGE
11A99621200	Slatted Mouldboard (pair in lieu)	£187
11A99616510	Knife coulter (pair)	£78
11A99631010	Tungsten point (pair in lieu)	£31
11A99680020	Lighting kit for shearbolt	£425
11A99680030	Lighting kit for NSH auto reset	£425
	Additional discs	£702

UNICO L - UP TO 300 HP

NEW

UNICO L

Shearbolt safety device

UNICO L VARIO

Shearbolt safety device with hydraulic vario width

UNICO L NSH

Hydraulic auto-reset safety device

UNICO L NSH VARIO

Hydraulic auto-reset with hydraulic vario width



STANDARD EQUIPMENT

Mounted plough with:

- Parallelogram adjustment system
- Fixed headstock with 120mm turnover shaft up to 3+1 furrows - up to 200hp.
- Fixed headstock with 130mm turnover shaft from 4 furrows - up to 300hp.
- CAT III three point linkage
- Shearbolt or hydraulic auto reset (NON STOP) safety system - NSH
- Centralised hydropneumatic autoreset circuit with piston nitrogen accumulator (NSH models).
- Automatic memory (from 4 furrows) with automatic closing down during turnover.
- 140 x 140mm frame
- Inter body clearance 95cm (point to point)
- Under beam clearance 80cm (87cm optional)
- Standard mouldboard MP4WD
- 500mm notched rear disc
- Reversible points
- Universal skimmers
- Combi wheel 13.0/55-16
- Parking stand

Rear flange for additional bodies:

- Upgrading from 4 to 5 or 5 to 6 furrows

Adjustable working width:

- Mechanically step by step 30 - 45cm (depending on interbody spacing)
- Hydraulically with parallelogram connection system (VARIO) 30 - 50cm (depending on interbody spacing)

ADVANTAGES OF UNICO L RANGE

Linkage

- The headstock main pivot shaft is made with high grade 100 mm diameter steel upto 3+1 furrows and 120mm upto 5 furrows.
- The headstock has interchangeable couplings and can be either CAT II or CAT III
- Hydraulic hoses are stored neatly at the side of the headstock.

Capacity

- Under beam clearance of 80cm and inter-body clearance of 95cm.
- Other interbody and under beam clearances available (longer legs available for 87cm underbeam clearance).

Adjustment

- The furrow width can be adjusted from 12" to 18" to suit tractor power and working conditions.
- The mechanical or hydraulic adjustment of front furrow width and plough alignment allows the plough to be adjusted quickly by means of a parallelogram system which links the headstock to the frame.
- Hydraulic plough alignment (standard on 4 furrows up) with automatic closing down, helps lifting and turnover.

Strength

- The 140 x 140 mm beam is reinforced and is fabricated using high grade steel.

Product Index

MASCHIO CONTACTS

Machinery sales, service & product support and parts sales

2

CONTENTS

Product index

3

UNICO M - UP TO 200 HP

UNICO M models & specification

4

UNICO M pricing

5


UNICO L - UP TO 300 HP

UNICO L models & specification

6

UNICO L pricing

7



UNICO M - UP TO 200 HP

NEW

UNICO M

Shearbolt safety device

UNICO M VARIO

Shearbolt safety device with hydraulic vario width

UNICO M NSH

Hydraulic auto-reset safety device

UNICO M NSH VARIO

Hydraulic auto-reset with hydraulic vario width



STANDARD EQUIPMENT

Mounted plough with:

- Parallelogram adjustment system
- Fixed headstock with 100mm turnover shaft up to 3+1 furrows - up to 160hp.
- Fixed headstock with 120mm turnover shaft from 4 furrows - up to 200hp.
- CAT II three point linkage up to 3+1 furrows.
- CAT III three point linkage from 4 furrows
- Shearbolt or hydraulic auto reset (NON STOP) safety system - NSH
- Centralised hydropneumatic autoreset circuit with piston nitrogen accumulator (NSH models).
- Automatic memory (from 4 furrows) with automatic closing down during turnover.
- 120 x 120mm frame
- Inter body clearance 95cm (point to point)
- Under beam clearance 80cm (87cm optional)
- Standard mouldboard MP4WD
- 500mm notched rear disc
- Reversible points
- Universal skimmers
- Combi wheel 13.0/55-16
- Parking stand
- **Rear flange for additional bodies:**
- Upgrading from 3 to 4 or 4 to 5 furrows
- **Adjustable working width:**
- Mechanically step by step 30 - 45cm (depending on interbody spacing)
- Hydraulically with parallelogram connection system (VARIO) 30 - 50cm (depending on interbody spacing)

ADVANTAGES OF UNICO M RANGE

Linkage

- The headstock main pivot shaft is made with high grade 100 mm diameter steel upto 3+1 furrows and 120mm upto 5 furrows.
- The headstock has interchangeable couplings and can be either CAT II or CAT III
- Hydraulic hoses are stored neatly at the side of the headstock.

Capacity

- Under beam clearance of 80cm and inter-body clearance of 95cm.
- Other interbody and under beam clearances available (longer legs available for 87cm underbeam clearance).

Adjustment

- The furrow width can be adjusted from 12" to 18" to suit tractor power and working conditions.
- The mechanical or hydraulic adjustment of front furrow width and plough alignment allows the plough to be adjusted quickly by means of a parallelogram system which links the headstock to the frame.
- Hydraulic plough alignment (standard on 4 furrows up) with automatic closing down, helps lifting and turnover.

Strength

- The 120 x 120 mm beam is reinforced and is fabricated using high grade steel.

UNICO M - UP TO 200 HP

NEW

UNICO M SHEARBOLT

Model Code	Model Description	Retail
11AA403M011	UNICO M 3 furrow	£13,227
	UNICO M 3 + 1 (4 furrow)	£16,085
11AA404M013	UNICO M 4 furrow	£16,506
	UNICO M 4 + 1 (5 furrow)	£19,363
11AA4A3M011	UNICO M VARIO 3 furrow	£15,471
	UNICO M VARIO 3 + 1 (4 furrow)	£18,456
11AA4A4M013	UNICO M VARIO 4 furrow	£18,915
	UNICO M VARIO 4 + 1 (5 furrow)	£21,900

UNICO M NSH AUTO RESET

11AA4K3M011	UNICO M NSH 3 furrow	£15,767
	UNICO M NSH 3 + 1 (4 furrow)	£18,778
11AA4K4M013	UNICO M NSH 4 furrow	£19,467
	UNICO M NSH 4 + 1 (5 furrow)	£22,477
11AA4T3M011	UNICO M NSH VARIO 3 furrow	£17,205
	UNICO M NSH VARIO 3 + 1 (4 furrow)	£20,549
11AA4T4M013	UNICO M NSH VARIO 4 furrow	£20,988
	UNICO M NSH VARIO 4 + 1 (5 furrow)	£24,332

ADDITIONAL FURROW

* Maximum of 1 additional furrow per plough

	ADDITIONAL FURROW UNICO M	£3,449
	ADDITIONAL FURROW UNICO M VARIO	£3,556
	ADDITIONAL FURROW UNICO M NSH	£3,775
	ADDITIONAL FURROW UNICO M NSH VARIO	£4,331

OPTIONAL EXTRAS

Model Code	Model Description	Retail
11A99651070	Auto memory (standard from 4 furrow)	£1,114
11A99500055	Oscillating headstock	£368
11A99628010	Underbeam clearance 87cm (pair in lieu)	£111
11A99624010	Trashboards (pair)	£111
11A99500040	Mouldboard extensions (pair)	£44
11A99625010	High landside (pair)	£67
11A99602120	Maize skimmer - shearbolt (pair in lieu)	£75
11A99602150	Maize skimmer - auto reset (pair in lieu)	£75
11A99603070	High capacity skimmers - shearbolt (pair in lieu)	£75
11A99603100	High capacity skimmers - auto reset (pair in lieu)	£75
11A99636310	Mouldboard MP4QD (pair in lieu)	NO CHARGE
11A99621200	Slatted Mouldboard (pair in lieu)	£187
11A99616510	Knife coulter (pair)	£78
11A99631010	Tungsten point (pair in lieu)	£31
11A99680020	Lighting kit for shearbolt	£425
11A99680030	Lighting kit for NSH auto reset	£425
	Additional discs	£702